

**MATERIALS LIST**


- VALVE BODY:** ASTM A108
- VENT VALVE:** ASTM A182, A276 ASME SA-182 (DUPLEX 2205)
- BONNET:** ASTM A182, A276 ASME SA-182 (DUPLEX 2205)
- STEM:** ASTM A182, A276 ASME SA-182 (DUPLEX 2205)
- STEM SEAL:** PERFLOURINATED ELASTOMER
- SEAT:** PEEK
- HANDLE:** ASTM A108
- 7/8-14 PLUG (NOT SHOWN):** ASTM A108

**NOTE:**  
IT IS THE RESPONSIBILITY OF THE END USER OF THIS EQUIPMENT TO CHECK MATERIALS FOR COMPATIBILITY WITH THE PROCESS GAS AND CONDITIONS.

VALVE TO BE ADEQUATELY BRACED TO PREVENT MECHANICAL DAMAGE OR DAMAGE DUE TO VIBRATION.

**WEIGHT:** 2.3#

VALVE BODY HAS A SQUARE CROSS-SECTION, EXCEPT FOR THE TRANSDUCER END AS SHOWN.



**KIENE DIESEL ACCESSORIES**

325 SOUTH FAIRBANKS STREET, ADDISON, ILLINOIS, 60101

DATA SHEET, DOUBLE BLOCK & BLEED VALVE, 1/4 ORIFICE BENTLY NEVADA 165855 CYLINDER PRESSURE TRANSDUCER

CURRENT REVISION: C FILE NAME: SP-06383 DATA SHEET DRAWING NUMBER: SP-06383 DATA SHEET